




HOME of MAGNUM BOARD®
“The New Generation **GREEN** Building Material”
“**Install It for Health & Safety-Install It for Life**”
Providing a Complete Line of Fiber Reinforced MgO Building Materials

SALES BULLETIN No.:	060625.1213
Subject:	Magnum Board and Batten Product Line
Issue Date:	January 02, 2025
Issue No. / Revised:	01

The “board and batten” exterior profile has been reborn, and Magnum Board Products®, LLC has the greenest, most environmentally and extended life cycle material on the market today.

Our fiber reinforced MgO building materials line is virtually impervious to fire, water and insects; is not a food for mold or mildew; and, is non toxic. In its delivered form, Magnum’s building material line is Co2 negative.

Its easy to install, is recyclable and will last for many generations.



In board and batten siding, the spacing of battens (vertical strips) can be either 12 inches or 16 inches apart. The 12-inch spacing is often preferred for smaller, compact walls, while the 16-inch spacing is more common for larger, expansive walls. The choice often depends on personal preference and the overall design aesthetic of the structure.


1.

Magnum board sheathing comes in thicknesses ranging from 3mm to 20mm; widths of 4' or smaller; and, lengths of 8', 9' 10' and 12'.

Battens are generally supplied in 2' and 3" widths; however, special orders are welcomed.

Let Magnum fiber reinforced MgO building materials help increase the safety, value and beauty of your investment. Call your Dealer today for price and delivery information.

EXAMPLES



On Behalf of
Mother - Nature
THANK YOU



“GOTTA GO GREEN”

2.

P.O. Box 90
Seffner
FL 33583
USA
EM: sales@magnumbp.com
Website: www.magnum-bp.com

For Sales and Technical Support:
Canada, Australia, New Zealand, and Alaska call: 585.820.7625
Africa and South Florida call: 305.498.8186
For Hawaii, call: 808.344.2840
For all other locations: 813.900.2957